

## Phytochemical Evaluation of different Extracts of *Sida Spinosa* by various Chemical Test

Rakesh Kumar Soni<sup>\*1</sup>, Shailesh M Kewatkar<sup>2</sup>, Vidhi Jain<sup>3</sup>, Manmeet Singh Saluja<sup>4</sup>

<sup>1</sup>Research Scholars, Department of Pharmacy, SunRise University, Alwar, Rajasthan.

<sup>2</sup>Professor, Department of Pharmacy, SunRise University, Alwar, Rajasthan.

<sup>3</sup>Professor & Principal, Maa Vaisnavi education institute & Research Sansthan, Baran, Rajasthan.

<sup>4</sup>Professor, Department of Pharmacy, TIT- Pharmacy, Bhopal, Madhya Pradesh.

Received: 17-02-2023 / Revised: 02-03-2023 / Accepted: 25-03-2023

DOI: <https://doi.org/10.32553/ijmbs.v7i4.2690>

Corresponding author: Rakesh Kumar Soni

Conflict of interest: No conflict of interest.

### Abstract

Plants offer a large range of natural compounds belonging to different molecular families which have various properties to humans. These molecules possess interesting biological activities which attracted several researchers to their elucidation to provide knowledge that will lead to advancement medicine. The present paper deals with the screening of various phytochemical present in various extract viz., Aqueous, Ethanolic, Ethyl Acetate, chloroform and petroleum ether of *Sida Spinosa*.

### Introduction

The use of medicinal plants as raw materials in the production of new drugs is ever increasing because of their potentials in combating the problem of drug resistance in micro-organisms. Demand for medicinal plants is increasing in both developing and developed countries. Research on medicinal plants is one of the leading areas of research globally<sup>1-2</sup>. However, there is a need to pay closer attention to the issue of bioactivity-safety evaluation of medicinal plants. *Sida Spinosa* is a folk medicinal plant and it contain varies active constituent which have some pharmacological activity. However, there is a need to play closer attention to the issue of bioactivity safely evaluation and formulation of these medicinal plant<sup>3-6</sup>. The aim of present study is to perform the bioactivity safely evaluation and formulation of suitable dosage form.

### Material & Methods

#### Collection of plant material

The plants *Sida Spinosa* was collected from near around alwar in the month of Jan-Feb, 2010 and was identified by the Department.

#### Preparation of plant powder

The plant were dried under shade and then powdered with a mechanical grinder. The powder was passed through sieve No. 40 and stored in an airtight container for further use.

#### Preparation of extracts

The dried powder of plant was extracted with various solvents. Aqueous extract was prepared by cold maceration process. Ethanolic, Ethyl Acetate, chloroform and petroleum ether extract were obtained using Soxhlet apparatus. The solvents were removed by distillation under reduced pressure and the resulting semisolid mass was vacuum dried using rotary flash evaporator to obtain the extract. Further, the extract was subjected to preliminary phytochemical screening.<sup>7</sup>

## Preliminary Phytochemical Screening<sup>8-12</sup>

### 1. Tests for carbohydrates and glycosides

#### • Molisch's test

Sample was treated with 2-3 drops of 1% alcoholic - naphthol solution and 2 ml of conc. sulphuric acid was added along the sides of the test tube. Appearance of brown ring at the junction of two liquids shows the presence of carbohydrates.

#### • Legal's test

To the sample add 1 ml of pyridine and few drops of sodium nitroprusside solutions and then it was made alkaline with sodium hydroxide solution. Appearance of pink to red colour shows the presence of glycosides.

#### • Borntrager's test

Sample was treated with chloroform and then the chloroform layer was separated. To this equal quantity of dilute ammonia solution was added. Ammonia layer acquires pink color, showing the presence of glycosides.

#### • Test for alkaloids

A small portion of the sample was stirred separately with few drops of dilute hydrochloric acid and was tested with various reagents for the presence of alkaloids. The reagents are

- |                         |   |                  |
|-------------------------|---|------------------|
| • Dragendorff's reagent | - |                  |
| Reddish brown ppt       |   |                  |
| • Wagner's reagent      | - |                  |
| Reddish brown ppt       |   |                  |
| • Mayer's reagent       | - | Cream color ppt  |
| • Hager's reagent       | - | Yellow color ppt |

### Test for proteins and free amino acids

Small quantities of the sample was dissolved in few ml of water and treated with following reagents.

- Million's reagent: Appearance of red color shows the Presence of protein and free amino

acid.

- Ninhydrin reagent: Appearance of purple color shows the Presence of Proteins and free amino acids

- Biuret's test: Equal volumes of 5% sodium hydroxide solution & 1% copper sulphate solution was added. Appearance of pink or purple color shows the presence of proteins and amino acids.

### Test for tannins

A small quantity of the sample was taken separately in water and test for the presence of phenol compounds and tannins was carried out with the following reagents.

- Dilute Ferric chloride solution (5%) - Violet color.
- 10% lead acetate solution - White ppt

### Test for flavonoids

#### • Alkaline reagent test

To the test solution add few drops of magnesium hydroxide solution, intense yellow colour is formed which turns to colourless on addition of few drops of dilute acid indicates presence of flavonoids.

#### • Shinoda's test

Small quantities of the sample was dissolved in alcohol, to them piece of magnesium followed by conc. hydrochloric acid drop wise added and heated. Appearance of magenta color shows the presence of flavonoids.

### Tests for fixed oils and fats Spot test

- A small quantity of sample was separately pressed between two filter papers. Appearance of oil stain on the paper indicates the presence of fixed oil.
- Few drops of 0.5 N alcoholic potassium hydroxide were added to a small quantity of sample along with a drop of phenolphthalein, the mixture was heated on a water bath for 1-2 hours, formation of soap or partial neutralization of alkali indicates the presence of

fixed oils and fats.

### Tests for steroids and triterpenoids

- **Libermann-burchard test**

Treat the sample with few drops of acetic acid, boil and cool. Then add conc. sulphuric acid from the side of test tube, brown ring is formed at the junction two layers and upper layer turns green which shows presence of steroids and formation of deep red colour indicates presence of triterpenoid.

- **Salkowski test**

Treat the sample with few drop of conc. sulphuric acid, red colour at lower layer indicates presence of steroids and formation of yellow coloured lower layer indicates presence of triterpenoids.

- **Test for mucilages and gums**

Small quantities of sample was added separately to 25 ml. of absolute alcohol with constant stirring and filtered. The precipitates were dried in oil and examined for its swelling property for the presence of gum and mucilage.

### Test for waxes

To the test solution add alcoholic alkali solution, waxes get saponified. (The results are given in Table 1).

### Results and conclusion

The plant *Sida Spinosa* belonging to the mallow family, was taken up for the study by us to screen and give a report on the possible preliminary phytochemical screening and exhaustive extraction of the plant material was done with Water, ethanol, chloroform and petroleum ether and the extracts were screened for the presence of various medicinally active phyto constituents. The various extracts of the plant of *Sida Spinosa* were subjected to phytochemical screening which reveals the presence of various pharmacological active components. Aqueous extract shows presence of alkaloids, carbohydrates, glycosides, tannins, protein, amino acids, steroids. Ethyl Acetate extract shows presence of alkaloids, carbohydrates, glycosides, tannins, protein, amino acids, steroids. Chloroform extract shows presence of carbohydrates, tannins and Petroleum ether extract shows presence of alkaloids, carbohydrates, glycosides, protein and amino acids, steroids. Since, the major active constituents are present in Ethyl Acetate extract, therefore, the Ethyl Acetate extract was taken for further investigation. The results are shown in Table: 1

**Table No. 1: Preliminary phytochemical screening of different extract of *Sida Spinosa***

S/No.	Constituents	Test	A E	E A	C E	P E
1.	Alkaloids	Mayer's test	-	+	-	-
		Dragendroff's test	+	+	-	+
		Hager's test	-	-	-	+
		Wagner's test	-	-	-	-
2.	Carbohydrates	Molisch's test	+	+	+	+
		Fehling's test	+	+	-	-
3.	Glycosides	Brontrager's test	-	+	-	-
		Legal's test	+	+	-	+
4.	Fixed oil and fats	Spot test	-	-	-	-
		Soap formation test	-	-	-	-
5.	Tannins	FeCl <sub>3</sub>	-	+	-	-
		Vanillin hydrochloride	+	+	+	-
		Alkaline reagent	-	+	-	-
6.	Protein and amino acid	Million's test	+	+	-	+

		Ninhydrin test	+		-	-
		Biuret test	-	-	-	+
7.	Flavanoids	With NaOH	-	-	-	-
		Shinoda test	-	-	-	-
		With H <sub>2</sub> SO <sub>4</sub>	-	-	-	-
8.	Steroids and triterpenoids	Libermann's Burchard test	-	-	-	-
		Salkowski's test	+	+	-	+
9.	Mucilage and gum	With 90% alcohol	-	-	-	-
10.	Waxes	With alc. KOH	-	-	-	-

AE: Aqueous Extract; EA: Ethyl Acetate Extract; CE: Chloroform Extract; PE: Petroleum ether Extract  
(+ Present, - Absent)

## References

- Soetan K.O. and Aiyelaagb, "The need for bioactive-safely evaluation and conservation of medicinal plant", Journals of medicinal plant and Research, May, 2009; 3(5);324 -8.
- Nadkarni K.M., Indian Materia Medica, Vol-I, Bombay Popular Prakashan, second edition, 1927, reprint 1995.
- The wealth of India, A dictionary of Indian Raw materials and Industrial products, Vo I-I, Published and printed by National Institute of science communication (NISCOM) Council of Scientific and Industrial Research (CSIR), New Delhi, 2001.
- Dwivedi S. N., Dwivedi Sangeeta and Patel Prakash Chandra. (2007). Status and conservation of threatened medicinal herbs, In Indian folk medicine Ed. P. C. Trivedi, Pointer publication, Jaipur, 313 -314.
- Sinha R. K. (1996). The renaissance of traditional herbal medicine, 1st edition, INA Shree publishers, Jaipur, 22-23.
- Oberai K., Kumar R., Khare, M.P. and Khare, A. "Pregnane ester diglycoside from *Sarcostigma brevistigma*", Pregmone Press Ltd., 1985, 24(6),1341-1343.
- Harbone J.B., Methods of Plant Analysis Chapter II In: Phytochemical methods: A guide to modern techniques of plant analysis Toppan Company Ltd, Japan. 1973, (1), pp 4 – 5.
- Kokate, C. K., "Practical Pharmacognosy", Nirali Prakashan, Pune, 2007
- Agrawal, S.S and Paridhavi, M. "Herbal Drug Technology", Universities Press Pvt. Ltd., Hyderabad, First Ed., 2007, 321-439.
- Mukherjee P.K. (2001). Quality Control of Herbal Drugs, Business Horizon Publication, 1st Edition 1, 183- 219.
- Divakar M C., Plant drug evaluation-a laboratory guide, CD remedies, 2nd ed., 2002, 84-92.
- Hiremanth, S.R.R. "A Text book of Industrial Pharmacy" Press Pvt. Ltd., Hyderabad, First Ed., 2008, 391- 433.